

Station : Santa Clara - Hughes Elementary
Address : Santa Clara - Hughes Elementary
Interval : 1 h

Jet noise filter is ON

Leq (dBA)

Dates	Limit: 60 dBA																							
	0:00	1:00	2:00	3:00	4:00	5:00	6:00	7:00	8:00	9:00	10:00	11:00	12:00	13:00	14:00	15:00	16:00	17:00	18:00	19:00	20:00	21:00	22:00	23:00
1/1/2024	52.3	48.0	47.4	45.6	44.6	45.1	53.4	55.1	55.1	55.4	55.2	54.9	55.9	54.5	56.3	58.1	53.3	56.3	54.7	53.0	54.5	53.0	51.0	49.1
1/2/2024	45.7	46.1	46.1	47.2	50.0	52.6	56.4	59.6	58.3	57.0	55.3	57.1	56.0	55.9	56.6	58.0	57.0	56.2	57.5	57.6	55.7	55.8	54.4	51.5
1/3/2024	47.5	47.0	48.0	46.6	47.8	51.5	55.2	56.6	57.3	56.0	56.2	59.1	62.0	58.0	59.9	61.7	57.2	59.1	62.2	59.3	55.4	54.9	51.0	50.8
1/4/2024	48.2	46.8	47.4	48.2	49.4	52.1	58.3	59.0	57.8	58.7	58.2	57.9	56.0	62.6	65.5	59.7	58.6	57.1	57.8	57.2	56.4	50.7	50.4	50.7
1/5/2024	45.3	44.8	44.9	44.8	47.9	49.8	56.5	60.0	57.2	57.8	61.4	59.1	58.6	60.0	65.2	61.3	59.4	58.7	57.9	56.2	54.3	54.7	51.8	52.6
1/6/2024	49.5	48.8	48.6	49.5	49.6	50.8	53.7	57.3	58.5	58.5	57.2	55.6	55.5	59.4	57.1	59.9	59.2	57.8	58.4	56.5	56.8	52.8	54.7	52.3
1/7/2024	49.8	46.9	46.6	46.5	48.0	49.3	56.7	58.0	58.2	56.0	58.1	61.7	60.3	60.2	58.6	60.8	57.6	58.4	56.3	56.9	55.5	56.9	52.0	51.7
1/8/2024	50.1	50.3	50.0	50.5	52.1	54.5	59.4	60.1	60.9	58.8	58.3	58.9	56.5	61.7	58.4	60.1	60.4	58.2	58.0	57.5	55.8	52.8	49.3	49.1
1/9/2024	48.3	48.3	46.4	46.6	48.1	51.7	57.2	58.3	60.2	57.6	56.9	57.1	59.0	61.4	64.6	60.0	60.3	61.2	59.6	59.1	56.5	55.6	50.4	48.7
1/10/2024	46.5	46.1	46.7	46.3	47.8	51.2	57.9	59.5	61.5	58.6	60.5	61.4	63.2	63.0	58.3	63.3	59.6	60.6	62.1	57.7	61.4	55.4	52.9	51.2
1/11/2024	48.9	47.0	47.1	47.6	49.8	52.4	59.7	65.1	61.6	59.4	58.7	57.7	60.8	57.7	61.0	57.5	58.8	57.4	58.9	57.1	56.2	53.2	50.7	50.6
1/12/2024	49.4	48.6	47.9	49.8	50.8	53.8	57.2	62.5	63.2	59.0	59.6	61.6	62.6	59.0	60.3	62.0	59.5	59.7	58.0	54.8	56.0	52.8	48.6	50.2
1/13/2024	46.2	45.5	46.6	46.0	47.3	47.4	50.3	51.9	55.5	56.2	56.6	56.4	55.6	56.0	54.3	55.6	55.3	54.1	55.2	54.0	54.1	56.2	54.1	50.5
1/14/2024	50.4	48.0	48.5	47.1	45.3	46.6	48.1	50.9	57.8	55.5	56.0	57.5	55.6	57.6	56.9	56.4	55.9	56.8	55.7	53.9	54.2	53.9	47.7	47.0
1/15/2024	46.8	43.5	42.8	42.6	42.9	44.8	52.6	57.5	56.4	53.0	58.8	54.0	56.8	55.0	53.9	56.3	56.2	54.6	54.9	55.4	54.7	51.7	50.0	48.6
1/16/2024	47.7	47.1	46.6	46.8	50.0	51.7	55.1	58.5	60.0	56.9	56.6	55.0	59.1	58.4	65.7	56.7	56.6	57.4	57.9	56.1	56.4	55.8	54.3	49.8
1/17/2024	47.6	47.1	45.9	48.4	46.5	48.4	55.6	58.7	59.4	57.5	59.3	57.0	61.2	59.8	62.6	60.0	59.7	58.7	56.9	59.1	55.9	51.3	50.6	48.9
1/18/2024	47.4	47.3	46.8	47.3	50.5	53.2	57.9	64.9	61.5	57.3	58.9	57.4	61.0	57.1	59.6	57.5	56.2	57.9	57.7	57.4	54.0	52.1	50.0	49.0
1/19/2024	48.0	48.3	47.7	47.9	49.9	53.9	58.2	60.6	61.6	59.7	59.6	58.0	60.8	58.5	61.4	58.9	59.3	59.0	58.0	56.7	57.9	54.9	55.3	50.7
1/20/2024	49.5	49.3	51.6	49.1	49.4	49.7	52.1	54.6	58.3	56.6	57.2	56.6	58.5	58.8	56.5	58.6	59.0	60.4	58.6	59.2	60.9	58.8	55.4	51.6
1/21/2024	52.1	51.5	49.9	48.7	48.7	49.4	51.1	55.5	55.8	56.6	56.7	57.2	55.2	56.3	55.9	56.0	55.7	57.1	57.5	62.4	56.7	57.7	56.6	54.1
1/22/2024	52.8	51.1	53.4	54.4	50.6	55.0	56.4	58.8	63.0	59.1	59.3	61.5	60.6	58.0	62.3	60.7	61.5	59.4	58.6	57.0	55.6	52.4	50.9	50.1
1/23/2024	45.9	44.8	45.2	45.7	46.2	50.1	57.3	60.5	60.8	60.4	58.7	57.5	61.0	62.2	65.2	58.9	61.0	58.8	58.8	57.0	53.8	51.6	47.5	46.1
1/24/2024	44.3	45.9	44.1	45.9	49.5	51.0	54.6	62.7	63.7	59.4	58.8	59.6	60.6	59.7	57.3	56.6	57.0	57.8	57.6	55.6	53.7	57.4	53.5	50.0
1/25/2024	48.5	49.1	49.5	49.5	50.6	52.4	57.5	65.0	60.2	60.3	58.0	58.7	60.7	59.8	63.6	61.1	62.2	59.8	59.3	57.0	55.8	51.7	49.0	47.9
1/26/2024	46.7	46.9	47.4	47.6	49.7	51.5	57.5	59.1	61.3	58.2	59.7	57.2	60.0	58.4	59.6	57.6	56.8	58.4	59.3	55.2	53.9	52.1	49.6	50.1
1/27/2024	47.1	47.9	48.2	45.9	47.3	48.8	54.4	56.8	56.5	56.1	64.2	53.5	57.4	62.6	53.8	55.2	55.3	57.0	54.3	53.5	52.8	56.3	51.4	52.2
1/28/2024	48.5	48.0	48.6	46.8	47.9	50.3	54.1	55.4	55.5	54.3	59.0	59.3	57.6	58.8	59.9	62.9	60.5	62.2	62.0	61.9	59.1	57.7	55.5	50.5
1/29/2024	50.2	48.5	49.5	49.9	52.1	53.6	58.6	61.0	61.9	59.9	60.2	61.1	60.1	57.7	61.8	59.0	59.1	61.8	58.0	57.3	54.6	53.2	50.2	49.9
1/30/2024	48.3	48.4	48.0	46.1	47.8	49.6	57.1	59.5	61.1	58.6	56.2	55.0	59.7	56.0	59.8	57.9	57.5	57.2	56.2	53.8	54.6	55.1	51.2	48.5
1/31/2024	46.8	45.9	46.4	48.2	50.6	50.0	54.1	57.7	60.4	59.9	58.8	59.3	61.5	63.8	57.8	59.3	60.6	60.2	59.2	58.4	60.1	56.9	55.3	54.2

Station : Santa Clara - Hughes Elementary
Address : Santa Clara - Hughes Elementary
Interval : 1 h

Jet noise filter is ON

Leq (dBA)

Dates	Nighttime Limit: 50 dBA							Daytime Limit: 55 dBA														Limit: 50 dBA		
	0:00	1:00	2:00	3:00	4:00	5:00	6:00	7:00	8:00	9:00	10:00	11:00	12:00	13:00	14:00	15:00	16:00	17:00	18:00	19:00	20:00	21:00	22:00	23:00
1/1/2024	52.3	48.0	47.4	45.6	44.6	45.1	53.4	55.1	55.1	55.4	55.2	54.9	55.9	54.5	56.3	58.1	53.3	56.3	54.7	53.0	54.5	53.0	51.0	49.1
1/2/2024	45.7	46.1	46.1	47.2	50.0	52.6	56.4	59.6	58.3	57.0	55.3	57.1	56.0	55.9	56.6	58.0	57.0	56.2	57.5	57.6	55.7	55.8	54.4	51.5
1/3/2024	47.5	47.0	48.0	46.6	47.8	51.5	55.2	56.6	57.3	56.0	56.2	59.1	62.0	58.0	59.9	61.7	57.2	59.1	62.2	59.3	55.4	54.9	51.0	50.8
1/4/2024	48.2	46.8	47.4	48.2	49.4	52.1	58.3	59.0	57.8	58.7	58.2	57.9	56.0	62.6	65.5	59.7	58.6	57.1	57.8	57.2	56.4	50.7	50.4	50.7
1/5/2024	45.3	44.8	44.9	44.8	47.9	49.8	56.5	60.0	57.2	57.8	61.4	59.1	58.6	60.0	65.2	61.3	59.4	58.7	57.9	56.2	54.3	54.7	51.8	52.6
1/6/2024	49.5	48.8	48.6	49.5	49.6	50.8	53.7	57.3	58.5	58.5	57.2	55.6	55.5	59.4	57.1	59.9	59.2	57.8	58.4	56.5	56.8	52.8	54.7	52.3
1/7/2024	49.8	46.9	46.6	46.5	48.0	49.3	56.7	58.0	58.2	56.0	58.1	61.7	60.3	60.2	58.6	60.8	57.6	58.4	56.3	56.9	55.5	56.9	52.0	51.7
1/8/2024	50.1	50.3	50.0	50.5	52.1	54.5	59.4	60.1	60.9	58.8	58.3	58.9	56.5	61.7	58.4	60.1	60.4	58.2	58.0	57.5	55.8	52.8	49.3	49.1
1/9/2024	48.3	48.3	46.4	46.6	48.1	51.7	57.2	58.3	60.2	57.6	56.9	57.1	59.0	61.4	64.6	60.0	60.3	61.2	59.6	59.1	56.5	55.6	50.4	48.7
1/10/2024	46.5	46.1	46.7	46.3	47.8	51.2	57.9	59.5	61.5	58.6	60.5	61.4	63.2	63.0	58.3	63.3	59.6	60.6	62.1	57.7	61.4	55.4	52.9	51.2
1/11/2024	48.9	47.0	47.1	47.6	49.8	52.4	59.7	65.1	61.6	59.4	58.7	57.7	60.8	57.7	61.0	57.5	58.8	57.4	58.9	57.1	56.2	53.2	50.7	50.6
1/12/2024	49.4	48.6	47.9	49.8	50.8	53.8	57.2	62.5	63.2	59.0	59.6	61.6	62.6	59.0	60.3	62.0	59.5	59.7	58.0	54.8	56.0	52.8	48.6	50.2
1/13/2024	46.2	45.5	46.6	46.0	47.3	47.4	50.3	51.9	55.5	56.2	56.6	56.4	55.6	56.0	54.3	55.6	55.3	54.1	55.2	54.0	54.1	56.2	54.1	50.5
1/14/2024	50.4	48.0	48.5	47.1	45.3	46.6	48.1	50.9	57.8	55.5	56.0	57.5	55.6	57.6	56.9	56.4	55.9	56.8	55.7	53.9	54.2	53.9	47.7	47.0
1/15/2024	46.8	43.5	42.8	42.6	42.9	44.8	52.6	57.5	56.4	53.0	58.8	54.0	56.8	55.0	53.9	56.3	56.2	54.6	54.9	55.4	54.7	51.7	50.0	48.6
1/16/2024	47.7	47.1	46.6	46.8	50.0	51.7	55.1	58.5	60.0	56.9	56.6	55.0	59.1	58.4	65.7	56.7	56.6	57.4	57.9	56.1	56.4	55.8	54.3	49.8
1/17/2024	47.6	47.1	45.9	48.4	46.5	48.4	55.6	58.7	59.4	57.5	59.3	57.0	61.2	59.8	62.6	60.0	59.7	58.7	56.9	59.1	55.9	51.3	50.6	48.9
1/18/2024	47.4	47.3	46.8	47.3	50.5	53.2	57.9	64.9	61.5	57.3	58.9	57.4	61.0	57.1	59.6	57.5	56.2	57.9	57.7	57.4	54.0	52.1	50.0	49.0
1/19/2024	48.0	48.3	47.7	47.9	49.9	53.9	58.2	60.6	61.6	59.7	59.6	58.0	60.8	58.5	61.4	58.9	59.3	59.0	58.0	56.7	57.9	54.9	55.3	50.7
1/20/2024	49.5	49.3	51.6	49.1	49.4	49.7	52.1	54.6	58.3	56.6	57.2	56.6	58.5	58.8	56.5	58.6	59.0	60.4	58.6	59.2	60.9	58.8	55.4	51.6
1/21/2024	52.1	51.5	49.9	48.7	48.7	49.4	51.1	55.5	55.8	56.6	56.7	57.2	55.2	56.3	55.9	56.0	55.7	57.1	57.5	62.4	56.7	57.7	56.6	54.1
1/22/2024	52.8	51.1	53.4	54.4	50.6	55.0	56.4	58.8	63.0	59.1	59.3	61.5	60.6	58.0	62.3	60.7	61.5	59.4	58.6	57.0	55.6	52.4	50.9	50.1
1/23/2024	45.9	44.8	45.2	45.7	46.2	50.1	57.3	60.5	60.8	60.4	58.7	57.5	61.0	62.2	65.2	58.9	61.0	58.8	58.8	57.0	53.8	51.6	47.5	46.1
1/24/2024	44.3	45.9	44.1	45.9	49.5	51.0	54.6	62.7	63.7	59.4	58.8	59.6	60.6	59.7	57.3	56.6	57.0	57.8	57.6	55.6	53.7	57.4	53.5	50.0
1/25/2024	48.5	49.1	49.5	49.5	50.6	52.4	57.5	65.0	60.2	60.3	58.0	58.7	60.7	59.8	63.6	61.1	62.2	59.8	59.3	57.0	55.8	51.7	49.0	47.9
1/26/2024	46.7	46.9	47.4	47.6	49.7	51.5	57.5	59.1	61.3	58.2	59.7	57.2	60.0	58.4	59.6	57.6	56.8	58.4	59.3	55.2	53.9	52.1	49.6	50.1
1/27/2024	47.1	47.9	48.2	45.9	47.3	48.8	54.4	56.8	56.5	56.1	64.2	53.5	57.4	62.6	53.8	55.2	55.3	57.0	54.3	53.5	52.8	56.3	51.4	52.2
1/28/2024	48.5	48.0	48.6	46.8	47.9	50.3	54.1	55.4	55.5	54.3	59.0	59.3	57.6	58.8	59.9	62.9	60.5	62.2	62.0	61.9	59.1	57.7	55.5	50.5
1/29/2024	50.2	48.5	49.5	49.9	52.1	53.6	58.6	61.0	61.9	59.9	60.2	61.1	60.1	57.7	61.8	59.0	59.1	61.8	58.0	57.3	54.6	53.2	50.2	48.9
1/30/2024	48.3	48.4	48.0	46.1	47.8	49.6	57.1	59.5	61.1	58.6	56.2	55.0	59.7	56.0	59.8	57.9	57.5	57.2	56.2	53.8	54.6	55.1	51.2	49.5
1/31/2024	46.8	45.9	46.4	48.2	50.6	50.0	54.1	57.7	60.4	59.9	58.8	59.3	61.5	63.8	57.8	59.3	60.6	60.2	59.2	58.4	60.1	56.9	55.3	54.2