

**Station :** Santa Clara - Hughes Elementary  
**Address :** Santa Clara - Hughes Elementary  
**Interval :** 1 h

Jet noise filter is ON

Leq (dBA)

Dates	Limit: 60 dBA																							
	0:00	1:00	2:00	3:00	4:00	5:00	6:00	7:00	8:00	9:00	10:00	11:00	12:00	13:00	14:00	15:00	16:00	17:00	18:00	19:00	20:00	21:00	22:00	23:00
1/1/2025	53.7	52.9	51.4	51.2	51.0	51.0	53.3	54.3	57.9	56.0	59.9	54.7	58.4	55.7	56.1	57.5	54.8	58.8	57.8	54.7	55.7	54.8	51.8	50.7
1/2/2025	51.7	51.3	50.2	50.7	51.2	53.1	57.3	58.2	56.4	56.2	57.6	57.5	58.3	55.8	57.8	56.6	58.0	57.7	56.9	56.2	54.6	54.9	54.7	53.7
1/3/2025	51.5	50.9	51.4	51.5	52.5	53.2	57.0	57.9	57.0	57.6	60.0	58.1	57.0	56.7	58.4	59.1	60.5	56.5	58.7	58.2	57.1	55.7	54.6	52.8
1/4/2025	51.3	51.3	50.7	51.2	50.7	52.1	56.7	57.3	57.8	56.0	55.3	56.0	57.4	57.5	57.2	60.0	56.8	58.1	57.1	56.4	57.7	56.6	53.8	55.3
1/5/2025	51.3	50.5	50.7	51.2	50.7	52.0	56.8	57.7	56.5	56.0	58.2	56.0	59.9	55.9	56.9	56.6	55.0	57.5	57.3	57.5	58.0	56.0	55.3	52.8
1/6/2025	53.4	50.2	50.1	51.2	52.2	54.4	59.9	60.6	58.9	58.5	57.8	56.4	56.3	57.8	58.5	61.5	59.7	59.7	58.2	56.6	53.6	51.5	51.7	55.2
1/7/2025	49.7	49.7	50.5	51.4	50.9	52.8	57.2	60.9	61.6	58.6	57.8	57.4	60.1	58.7	67.3	59.4	59.1	59.3	57.6	58.5	56.0	52.7	51.8	53.4
1/8/2025	49.6	50.2	52.4	48.9	50.4	53.2	58.6	60.8	60.1	57.1	58.9	59.7	59.7	60.4	57.0	60.8	58.0	58.6	58.0	57.6	54.2	55.5	52.5	51.4
1/9/2025	50.9	50.4	50.3	50.8	53.1	56.1	59.9	64.3	63.1	61.4	60.0	58.6	59.4	66.2	61.3	62.6	61.7	59.3	58.3	58.5	56.1	53.8	51.6	51.0
1/10/2025	50.8	49.9	49.9	50.1	51.7	54.2	57.8	59.9	61.3	58.8	57.9	57.0	59.0	61.6	64.0	63.4	59.5	58.4	57.9	59.8	56.4	54.2	52.1	51.1
1/11/2025	49.7	50.3	49.9	50.0	49.7	51.4	56.5	57.2	57.9	58.6	58.5	57.8	57.9	59.3	58.3	58.7	56.5	58.0	57.1	54.2	55.2	54.7	51.3	52.6
1/12/2025	51.0	50.2	50.3	50.1	49.9	50.8	56.3	57.2	58.7	57.4	57.5	59.1	56.2	58.8	56.8	56.9	57.7	58.0	56.7	56.3	56.1	53.0	51.6	51.0
1/13/2025	51.5	50.3	49.8	49.8	51.0	53.9	60.6	60.6	61.5	58.4	58.9	59.3	59.8	58.5	59.7	58.5	59.0	57.9	57.6	58.0	53.3	54.9	52.2	51.3
1/14/2025	50.5	50.3	50.1	50.4	51.6	54.3	58.2	60.1	62.1	59.0	57.9	56.0	59.2	56.2	61.8	60.3	56.4	57.0	57.5	57.8	58.3	54.4	53.3	51.3
1/15/2025	50.4	50.2	50.1	50.4	53.4	55.9	58.4	59.6	59.9	57.9	56.7	58.2	59.4	60.4	58.1	59.0	57.6	57.9	58.5	57.4	55.5	54.6	53.2	52.3
1/16/2025	51.9	50.6	50.4	50.8	52.2	54.6	58.5	66.3	60.2	57.4	56.5	58.6	60.9	58.1	61.6	61.3	58.3	58.6	57.8	57.5	56.0	54.5	53.5	51.4
1/17/2025	51.2	49.9	50.1	49.9	51.7	54.3	59.0	62.6	60.2	56.6	59.9	59.5	59.9	58.6	60.6	60.2	61.0	60.5	62.3	60.4	60.5	53.7	52.4	51.3
1/18/2025	49.9	49.4	48.8	48.8	48.7	49.1	53.2	54.1	55.1	54.9	54.2	56.6	56.7	56.9	55.5	56.1	54.6	56.1	58.2	54.1	55.9	55.2	53.0	52.0
1/19/2025	50.8	50.4	50.6	49.8	49.1	49.0	52.2	52.1	53.6	56.8	55.3	55.8	56.2	55.6	56.9	58.3	54.8	58.6	56.8	57.2	53.2	51.8	50.5	50.4
1/20/2025	49.8	49.4	49.6	49.8	49.7	52.4	59.7	60.5	59.5	59.8	57.9	56.5	56.9	58.7	56.5	57.3	53.9	55.8	55.1	57.1	54.6	53.5	52.6	50.9
1/21/2025	50.7	50.3	50.1	50.4	51.4	54.0	57.8	59.5	60.7	57.8	56.4	57.6	58.3	56.4	59.9	57.6	59.5	59.2	60.7	58.7	56.2	54.0	52.9	52.0
1/22/2025	51.8	49.9	52.3	50.7	52.5	55.0	59.0	61.5	61.2	58.5	58.8	57.4	59.3	59.7	59.4	61.4	59.5	59.2	58.0	59.2	57.5	54.5	53.3	51.8
1/23/2025	50.9	49.8	50.4	50.2	51.1	53.4	58.8	60.3	60.8	57.6	57.9	58.4	60.1	63.1	60.2	59.5	57.6	58.5	58.8	60.1	56.0	53.9	52.5	53.0
1/24/2025	51.7	51.1	50.1	50.7	52.1	55.3	59.8	61.2	62.4	57.4	58.7	58.0	58.7	59.9	60.6	59.9	59.5	58.8	56.5	58.9	54.6	54.2	53.0	51.7
1/25/2025	50.6	50.1	50.0	49.7	50.0	50.2	51.5	53.1	55.3	55.9	58.3	57.5	53.5	56.4	55.5	56.3	54.0	58.0	56.0	53.2	53.6	53.9	51.6	51.6
1/26/2025	50.2	49.9	49.4	50.5	48.9	49.9	52.7	54.7	58.1	58.8	58.4	56.6	58.4	58.4	57.5	56.7	56.2	57.3	57.8	56.2	55.3	54.1	51.8	51.3
1/27/2025	50.0	49.9	51.7	51.1	50.9	54.9	58.4	60.6	61.0	57.4	59.9	58.3	60.4	58.5	61.8	61.4	60.1	59.0	57.9	57.7	56.0	53.3	51.9	51.2
1/28/2025	50.8	50.3	50.1	50.4	51.8	54.5	57.3	60.1	60.4	57.1	57.3	57.6	59.8	58.4	61.9	59.3	59.1	58.5	59.4	58.1	55.2	53.9	52.2	51.6
1/29/2025	50.8	49.7	49.6	49.3	49.7	51.3	55.7	58.7	59.3	56.4	58.5	57.5	60.0	60.8	58.0	59.1	59.4	59.9	58.8	58.0	55.5	56.5	52.0	50.0
1/30/2025	48.8	49.3	48.7	48.7	49.2	51.8	54.4	64.5	59.9	59.3	56.9	58.6	60.5	58.4	61.0	60.7	59.8	58.9	57.3	58.3	55.2	53.9	52.0	53.2
1/31/2025	50.4	50.0	49.9	50.2	51.4	53.1	55.8	58.4	62.4	59.3	57.3	57.5	61.4	58.0	60.0	59.6	58.8	58.7	58.8	57.1	55.6	56.8	53.9	52.3

Station : Santa Clara - Hughes Elementary  
 Address : Santa Clara - Hughes Elementary  
 Interval : 1 h

Jet noise filter is ON

Leq (dBA)

Dates	Nighttime Limit: 50 dBA							Daytime Limit: 55 dBA														Limit: 50 dBA		
	0:00	1:00	2:00	3:00	4:00	5:00	6:00	7:00	8:00	9:00	10:00	11:00	12:00	13:00	14:00	15:00	16:00	17:00	18:00	19:00	20:00	21:00	22:00	23:00
1/1/2025	53.7	52.9	51.4	51.2	51.0	51.0	53.3	54.3	57.9	56.0	59.9	54.7	58.4	55.7	56.1	57.5	54.8	58.8	57.8	54.7	55.7	54.8	51.8	50.7
1/2/2025	51.7	51.3	50.2	50.7	51.2	53.1	57.3	58.2	56.4	56.2	57.6	57.5	58.3	55.8	57.8	56.6	58.0	57.7	56.9	56.2	54.6	54.9	54.7	53.7
1/3/2025	51.5	50.9	51.4	51.5	52.5	53.2	57.0	57.9	57.0	57.6	60.0	58.1	57.0	56.7	58.4	59.1	60.5	56.5	58.7	58.2	57.1	55.7	54.6	52.8
1/4/2025	51.3	51.3	50.7	51.2	50.7	52.1	56.7	57.3	57.8	56.0	55.3	56.0	57.4	57.5	57.2	60.0	56.8	58.1	57.1	56.4	57.7	56.6	53.8	55.3
1/5/2025	51.3	50.5	50.7	51.2	50.7	52.0	56.8	57.7	56.5	56.0	58.2	56.0	59.9	55.9	56.9	56.6	55.0	57.5	57.3	57.5	58.0	56.0	55.3	52.8
1/6/2025	53.4	50.2	50.1	51.2	52.2	54.4	59.9	60.6	58.9	58.5	57.8	56.4	56.3	57.8	58.5	61.5	59.7	59.7	58.2	56.6	53.6	51.5	51.7	55.2
1/7/2025	49.7	49.7	50.5	51.4	50.9	52.8	57.2	60.9	61.6	58.6	57.8	57.4	60.1	58.7	67.3	59.4	59.1	59.3	57.6	58.5	56.0	52.7	51.8	53.4
1/8/2025	49.6	50.2	52.4	48.9	50.4	53.2	58.6	60.8	60.1	57.1	58.9	59.7	59.7	60.4	57.0	60.8	58.0	58.6	58.0	57.6	54.2	55.5	52.5	51.4
1/9/2025	50.9	50.4	50.3	50.8	53.1	56.1	59.9	64.3	63.1	61.4	60.0	58.6	59.4	66.2	61.3	62.6	61.7	59.3	58.3	58.5	56.1	53.8	51.6	51.0
1/10/2025	50.8	49.9	49.9	50.1	51.7	54.2	57.8	59.9	61.3	58.8	57.9	57.0	59.0	61.6	64.0	63.4	59.5	58.4	57.9	59.8	56.4	54.2	52.1	51.1
1/11/2025	49.7	50.3	49.9	50.0	49.7	51.4	56.5	57.2	57.9	58.6	58.5	57.8	57.9	59.3	58.3	58.7	56.5	58.0	57.1	54.2	55.2	54.7	51.3	52.6
1/12/2025	51.0	50.2	50.3	50.1	49.9	50.8	56.3	57.2	58.7	57.4	57.5	59.1	56.2	58.8	56.8	56.9	57.7	58.0	56.7	56.3	56.1	53.0	51.6	51.0
1/13/2025	51.5	50.3	49.8	49.8	51.0	53.9	60.6	60.6	61.5	58.4	58.9	59.3	59.8	58.5	59.7	58.5	59.0	57.9	57.6	58.0	53.3	54.9	52.2	51.3
1/14/2025	50.5	50.3	50.1	50.4	51.6	54.3	58.2	60.1	62.1	59.0	57.9	56.0	59.2	56.2	61.8	60.3	56.4	57.0	57.5	57.8	58.3	54.4	53.3	51.3
1/15/2025	50.4	50.2	50.1	50.4	53.4	55.9	58.4	59.6	59.9	57.9	56.7	58.2	59.4	60.4	58.1	59.0	57.6	57.9	58.5	57.4	55.5	54.6	53.2	52.3
1/16/2025	51.9	50.6	50.4	50.8	52.2	54.6	58.5	66.3	60.2	57.4	56.5	58.6	60.9	58.1	61.6	61.3	58.3	58.6	57.8	57.5	56.0	54.5	53.5	51.4
1/17/2025	51.2	49.9	50.1	49.9	51.7	54.3	59.0	62.6	60.2	56.6	59.9	59.5	59.9	58.6	60.6	60.2	61.0	60.5	62.3	60.4	60.5	53.7	52.4	51.3
1/18/2025	49.9	49.4	48.8	48.8	48.7	49.1	53.2	54.1	55.1	54.9	54.2	56.6	56.7	56.9	55.5	56.1	54.6	56.1	58.2	54.1	55.9	55.2	53.0	52.0
1/19/2025	50.8	50.4	50.6	49.8	49.1	49.0	52.2	52.1	53.6	56.8	55.3	55.8	56.2	55.6	56.9	58.3	54.8	58.6	56.8	57.2	53.2	51.8	50.5	50.4
1/20/2025	49.8	49.4	49.6	49.8	49.7	52.4	59.7	60.5	59.5	59.8	57.9	56.5	56.9	58.7	56.5	57.3	53.9	55.8	55.1	57.1	54.6	53.5	52.6	50.9
1/21/2025	50.7	50.3	50.1	50.4	51.4	54.0	57.8	59.5	60.7	57.8	56.4	57.6	58.3	56.4	59.9	57.6	59.5	59.2	60.7	58.7	56.2	54.0	52.9	52.0
1/22/2025	51.8	49.9	52.3	50.7	52.5	55.0	59.0	61.5	61.2	58.5	58.8	57.4	59.3	59.7	59.4	61.4	59.5	59.2	58.0	59.2	57.5	54.5	53.3	51.8
1/23/2025	50.9	49.8	50.4	50.2	51.1	53.4	58.8	60.3	60.8	57.6	57.9	58.4	60.1	63.1	60.2	59.5	57.6	58.5	58.8	60.1	56.0	53.9	52.5	53.0
1/24/2025	51.7	51.1	50.1	50.7	52.1	55.3	59.8	61.2	62.4	57.4	58.7	58.0	58.7	59.9	60.6	59.9	59.5	58.8	56.5	58.9	54.6	54.2	53.0	51.7
1/25/2025	50.6	50.1	50.0	49.7	50.0	50.2	51.5	53.1	55.3	55.9	58.3	57.5	53.5	56.4	55.5	56.3	54.0	58.0	56.0	53.2	53.6	53.9	51.6	51.6
1/26/2025	50.2	49.9	49.4	50.5	48.9	49.9	52.7	54.7	58.1	58.8	58.4	56.6	58.4	58.4	57.5	56.7	56.2	57.3	57.8	56.2	55.3	54.1	51.8	51.3
1/27/2025	50.0	49.9	51.7	51.1	50.9	54.9	58.4	60.6	61.0	57.4	59.9	58.3	60.4	58.5	61.8	61.4	60.1	59.0	57.9	57.7	56.0	53.3	51.9	51.2
1/28/2025	50.8	50.3	50.1	50.4	51.8	54.5	57.3	60.1	60.4	57.1	57.3	57.6	59.8	58.4	61.9	59.3	59.1	58.5	59.4	58.1	55.2	53.9	52.2	51.6
1/29/2025	50.8	49.7	49.6	49.3	49.7	51.3	55.7	58.7	59.3	56.4	58.5	57.5	60.0	60.8	58.0	59.1	59.4	59.9	58.8	58.0	55.5	56.5	52.0	50.0
1/30/2025	48.8	49.3	48.7	48.7	49.2	51.8	54.4	64.5	59.9	59.3	56.9	58.6	60.5	58.4	61.0	60.7	59.8	58.9	57.3	58.3	55.2	53.9	52.0	53.2
1/31/2025	50.4	50.0	49.9	50.2	51.4	53.1	55.8	58.4	62.4	59.3	57.3	57.5	61.4	58.0	60.0	59.6	58.8	58.7	58.8	57.1	55.6	56.8	53.9	52.3