

Station : Santa Clara - Hughes Elementary
Address : Santa Clara - Hughes Elementary
Interval : 1 h

Jet noise filter is ON

Leq (dBA)

	Limit: 60 dBA																							
Dates	0:00	1:00	2:00	3:00	4:00	5:00	6:00	7:00	8:00	9:00	10:00	11:00	12:00	13:00	14:00	15:00	16:00	17:00	18:00	19:00	20:00	21:00	22:00	23:00
3/1/2025	51.6	50.4	51.3	50.2	49.7	49.5	53.9	55.1	56.6	56.2	57.1	55.2	57.8	57.7	57.5	59.1	57.0	57.5	53.8	55.6	56.7	56.5	53.4	52.8
3/2/2025	51.3	50.2	51.2	49.8	50.0	51.5	59.7	56.0	57.3	60.0	60.5	60.6	60.2	62.2	59.5	62.4	60.2	61.9	61.1	58.4	62.4	57.4	53.6	52.5
3/3/2025	51.2	51.0	50.5	51.8	52.2	52.0	60.7	62.7	61.1	61.1	59.7	60.0	61.0	62.9	61.9	62.3	58.8	60.4	59.3	56.7	59.5	54.6	48.0	47.0
3/4/2025	43.9	44.9	44.9	46.2	46.4	50.5	54.9	58.7	60.4	58.4	56.3	58.5	58.9	58.9	63.2	61.5	59.4	59.6	59.5	59.2	57.5	53.7	52.5	51.2
3/5/2025	50.9	49.2	49.4	48.9	50.6	51.5	56.0	59.4	60.0	58.1	57.7	59.0	61.0	63.1	61.5	60.2	60.5	60.3	58.9	60.1	56.8	55.4	53.1	51.8
3/6/2025	50.9	50.7	50.2	50.3	51.7	53.5	59.9	64.8	61.0	61.9	59.2	60.4	58.5	66.1	62.5	59.4	60.5	59.1	60.1	59.6	57.6	53.9	53.1	52.6
3/7/2025	51.2	51.0	50.6	50.8	52.0	53.6	59.2	59.4	61.6	60.7	60.2	60.4	60.5	61.2	62.9	61.1	61.9	60.5	59.1	59.4	60.5	55.6	54.1	52.5
3/8/2025	51.9	51.3	51.4	51.1	52.1	52.6	56.7	56.7	56.3	55.9	56.3	56.6	55.8	58.4	55.5	58.2	56.9	57.7	57.0	55.1	56.6	55.4	53.0	51.7
3/9/2025	50.8	51.6	0.0	51.7	50.8	51.6	54.2	55.5	57.6	55.2	57.0	57.3	55.3	60.9	57.1	60.6	57.8	57.3	59.5	58.0	54.4	55.9	54.1	51.3
3/10/2025	50.2	50.4	49.7	50.1	50.6	52.1	57.3	60.9	65.0	56.9	56.8	56.3	58.4	57.0	60.6	58.2	57.6	58.5	58.2	54.6	56.8	55.9	51.8	50.7
3/11/2025	50.0	49.4	50.1	50.1	50.9	52.6	58.7	59.6	59.7	56.1	55.9	56.1	58.7	57.3	61.9	59.2	59.6	59.7	58.6	56.9	55.2	54.7	54.6	50.8
3/12/2025	49.4	49.0	49.0	49.2	50.4	53.0	54.9	58.5	59.3	57.9	57.6	60.1	60.3	60.5	60.5	61.5	60.8	60.3	58.7	57.9	56.7	56.3	55.5	52.4
3/13/2025	51.1	50.4	50.2	50.7	51.4	53.1	59.3	60.1	61.7	58.3	59.9	62.0	60.8	59.7	63.2	61.3	60.5	60.6	59.3	59.7	57.3	57.8	54.7	52.1
3/14/2025	52.3	50.7	51.2	50.9	53.1	56.3	57.9	59.9	61.0	59.7	60.1	57.2	56.9	58.6	61.7	62.2	61.8	60.3	60.5	59.0	57.2	56.4	55.5	52.1
3/15/2025	51.8	51.3	50.5	50.0	50.4	51.1	52.0	54.2	56.0	54.0	56.2	54.7	55.9	55.7	58.4	57.6	56.6	59.3	57.8	57.2	56.8	54.3	53.0	53.1
3/16/2025	51.8	50.9	50.2	50.1	50.4	51.2	52.3	59.1	56.7	56.0	55.5	57.2	56.4	57.6	56.7	58.2	57.5	57.8	57.5	56.9	55.7	56.7	56.3	53.7
3/17/2025	51.6	51.2	50.2	51.2	374.4	51.4	61.9	59.6	61.1	57.0	56.1	59.0	59.9	60.7	62.1	61.7	62.0	60.6	61.1	61.6	58.8	58.9	55.9	52.3
3/18/2025	51.7	50.8	50.7	50.7	51.1	52.9	57.3	60.0	59.3	58.1	59.3	59.9	60.0	61.8	59.5	60.6	60.1	58.9	59.3	59.5	56.4	54.9	53.0	51.4
3/19/2025	50.1	50.5	50.4	50.9	52.1	54.2	56.6	59.7	59.9	57.1	57.4	58.8	60.3	62.2	59.9	62.1	61.0	59.3	58.4	56.7	54.6	54.4	56.2	51.3
3/20/2025	50.2	49.6	49.7	49.6	51.5	52.2	60.0	58.3	60.5	60.0	58.9	58.8	60.2	66.0	60.4	62.0	61.8	59.9	61.1	58.4	58.2	56.6	53.0	52.1
3/21/2025	50.9	50.0	50.4	50.4	51.1	53.6	57.2	62.8	60.4	57.6	59.4	61.8	59.4	62.2	60.4	61.1	62.0	60.2	59.0	59.1	59.5	54.4	55.2	52.3
3/22/2025	51.3	50.5	51.0	50.5	50.3	51.2	55.4	56.2	55.8	56.5	56.6	58.0	57.1	58.2	55.6	57.8	56.9	58.6	57.6	55.9	57.8	57.2	52.3	53.2
3/23/2025	50.6	50.0	49.9	50.1	49.9	50.2	54.8	54.0	55.4	55.8	57.6	58.9	54.7	55.6	57.6	59.4	56.9	58.8	58.6	57.1	58.3	55.8	53.0	51.3
3/24/2025	51.0	50.1	51.2	51.3	52.4	55.2	60.1	62.8	60.3	56.4	56.8	57.6	58.0	58.1	61.2	59.5	58.9	58.9	57.9	57.1	56.1	55.3	53.1	51.2
3/25/2025	50.3	50.3	50.2	50.3	51.3	53.9	57.1	59.0	58.3	55.8	55.6	56.7	57.5	57.1	64.7	62.2	59.0	59.8	56.7	56.9	54.7	55.2	52.3	51.1
3/26/2025	52.9	49.8	50.0	49.5	50.7	52.9	56.4	58.6	60.2	58.3	57.6	57.8	60.4	60.0	59.0	58.6	58.5	57.5	57.4	56.5	55.4	55.3	54.5	51.5
3/27/2025	52.1	50.5	50.8	49.7	50.4	51.4	54.3	63.1	59.3	61.0	56.8	57.1	61.5	62.0	60.9	58.1	59.4	57.7	58.2	56.2	54.8	55.6	55.5	52.1
3/28/2025	50.1	49.9	50.2	49.8	49.9	53.7	56.7	59.2	60.7	59.1	59.9	59.7	61.2	60.7	62.2	60.1	59.9	60.8	59.3	58.6	58.4	54.8	54.8	52.9
3/29/2025	54.0	51.2	51.0	50.6	50.6	52.5	56.2	57.1	54.9	57.5	56.0	57.9	59.1	57.9	54.7	59.4	56.8	59.4	57.9	55.6	55.0	54.9	52.0	52.1
3/30/2025	51.1	50.3	50.4	50.6	50.7	52.0	53.9	56.6	57.1	57.1	57.8	57.3	56.9	57.5	56.2	57.3	56.7	57.0	56.0	54.9	55.8	55.1	54.6	53.2
3/31/2025	51.7	50.1	50.1	50.0	50.9	52.5	62.1	64.6	62.6	57.0	59.7	59.6	60.5	60.6	61.8	60.3	62.2	60.4	59.2	58.2	59.2	57.2	53.7	53.5

Station : Santa Clara - Hughes Elementary
Address : Santa Clara - Hughes Elementary
Interval : 1 h

Jet noise filter is ON

Leq (dBA)

Dates	Nighttime Limit: 50 dBA							Daytime Limit: 55 dBA													Limit: 50 dBA			
	0:00	1:00	2:00	3:00	4:00	5:00	6:00	7:00	8:00	9:00	10:00	11:00	12:00	13:00	14:00	15:00	16:00	17:00	18:00	19:00	20:00	21:00	22:00	23:00
3/1/2025	51.6	50.4	51.3	50.2	49.7	49.5	53.9	55.1	56.6	56.2	57.1	55.2	57.8	57.7	57.5	59.1	57.0	57.5	53.8	55.6	56.7	56.5	53.4	52.8
3/2/2025	51.3	50.2	51.2	49.8	50.0	51.5	59.7	56.0	57.3	60.0	60.5	60.6	60.2	62.2	59.5	62.4	60.2	61.9	61.1	58.4	62.4	57.4	53.6	52.5
3/3/2025	51.2	51.0	50.5	51.8	52.2	52.0	60.7	62.7	61.1	61.1	59.7	60.0	61.0	62.9	61.9	62.3	58.8	60.4	59.3	56.7	59.5	54.6	48.0	47.0
3/4/2025	43.9	44.9	44.9	46.2	46.4	50.5	54.9	58.7	60.4	58.4	56.3	58.5	58.9	58.9	63.2	61.5	59.4	59.6	59.5	59.2	57.5	53.7	52.5	51.2
3/5/2025	50.9	49.2	49.4	48.9	50.6	51.5	56.0	59.4	60.0	58.1	57.7	59.0	61.0	63.1	61.5	60.2	60.5	60.3	58.9	60.1	56.8	55.4	53.1	51.8
3/6/2025	50.9	50.7	50.2	50.3	51.7	53.5	59.9	64.8	61.0	61.9	59.2	60.4	58.5	66.1	62.5	59.4	60.5	59.1	60.1	59.6	57.6	53.9	53.1	52.6
3/7/2025	51.2	51.0	50.6	50.8	52.0	53.6	59.2	59.4	61.6	60.7	60.2	60.4	60.5	61.2	62.9	61.1	61.9	60.5	59.1	59.4	60.5	55.6	54.1	52.5
3/8/2025	51.9	51.3	51.4	51.1	52.1	52.6	56.7	56.7	56.3	55.9	56.3	56.6	55.8	58.4	55.5	58.2	56.9	57.7	57.0	55.1	56.6	55.4	53.0	51.7
3/9/2025	50.8	51.6	0.0	51.7	50.8	51.6	54.2	55.5	57.6	55.2	57.0	57.3	55.3	60.9	57.1	60.6	57.8	57.3	59.5	58.0	54.4	55.9	54.1	51.3
3/10/2025	50.2	50.4	49.7	50.1	50.6	52.1	57.3	60.9	65.0	56.9	56.8	56.3	58.4	57.0	60.6	58.2	57.6	58.5	58.2	54.6	56.8	55.9	51.8	50.7
3/11/2025	50.0	49.4	50.1	50.1	50.9	52.6	58.7	59.6	59.7	56.1	55.9	56.1	58.7	57.3	61.9	59.2	59.6	59.7	58.6	56.9	55.2	54.7	54.6	50.8
3/12/2025	49.4	49.0	49.0	49.2	50.4	53.0	54.9	58.5	59.3	57.9	57.6	60.1	60.3	60.5	60.5	61.5	60.8	60.3	58.7	57.9	56.7	56.3	55.5	52.4
3/13/2025	51.1	50.4	50.2	50.7	51.4	53.1	59.3	60.1	61.7	58.3	59.9	62.0	60.8	59.7	63.2	61.3	60.5	60.6	59.3	59.7	57.3	57.8	54.7	52.1
3/14/2025	52.3	50.7	51.2	50.9	53.1	56.3	57.9	59.9	61.0	59.7	60.1	57.2	56.9	58.6	61.7	62.2	61.8	60.3	60.5	59.0	57.2	56.4	55.5	52.1
3/15/2025	51.8	51.3	50.5	50.0	50.4	51.1	52.0	54.2	56.0	54.0	56.2	54.7	55.9	55.7	58.4	57.6	56.6	59.3	57.8	57.2	56.8	54.3	53.0	53.1
3/16/2025	51.8	50.9	50.2	50.1	50.4	51.2	52.3	59.1	56.7	56.0	55.5	57.2	56.4	57.6	56.7	58.2	57.5	57.8	57.5	56.9	55.7	56.7	56.3	53.7
3/17/2025	51.6	51.2	50.2	51.2	374.4	51.4	61.9	59.6	61.1	57.0	56.1	59.0	59.9	60.7	62.1	61.7	62.0	60.6	61.1	61.6	58.8	58.9	55.9	52.3
3/18/2025	51.7	50.8	50.7	50.7	51.1	52.9	57.3	60.0	59.3	58.1	59.3	59.9	60.0	61.8	59.5	60.6	60.1	58.9	59.3	59.5	56.4	54.9	53.0	51.4
3/19/2025	50.1	50.5	50.4	50.9	52.1	54.2	56.6	59.7	59.9	57.1	57.4	58.8	60.3	62.2	59.9	62.1	61.0	59.3	58.4	56.7	54.6	54.4	56.2	51.3
3/20/2025	50.2	49.6	49.7	49.6	51.5	52.2	60.0	58.3	60.5	60.0	58.9	58.8	60.2	66.0	60.4	62.0	61.8	59.9	61.1	58.4	58.2	56.6	53.0	52.1
3/21/2025	50.9	50.0	50.4	50.4	51.1	53.6	57.2	62.8	60.4	57.6	59.4	61.8	59.4	62.2	60.4	61.1	62.0	60.2	59.0	59.1	59.5	54.4	55.2	52.3
3/22/2025	51.3	50.5	51.0	50.5	50.3	51.2	55.4	56.2	55.8	56.5	56.6	58.0	57.1	58.2	55.6	57.8	56.9	58.6	57.6	55.9	57.8	57.2	52.3	53.2
3/23/2025	50.6	50.0	49.9	50.1	49.9	50.2	54.8	54.0	55.4	55.8	57.6	58.9	54.7	55.6	57.6	59.4	56.9	58.8	58.6	57.1	58.3	55.8	53.0	51.3
3/24/2025	51.0	50.1	51.2	51.3	52.4	55.2	60.1	62.8	60.3	56.4	56.8	57.6	58.0	58.1	61.2	59.5	58.9	58.9	57.9	57.1	56.1	55.3	53.1	51.2
3/25/2025	50.3	50.3	50.2	50.3	51.3	53.9	57.1	59.0	58.3	55.8	55.6	56.7	57.5	57.1	64.7	62.2	59.0	59.8	56.7	56.9	54.7	55.2	52.3	51.1
3/26/2025	52.9	49.8	50.0	49.5	50.7	52.9	56.4	58.6	60.2	58.3	57.6	57.8	60.4	60.0	59.0	58.6	58.5	57.5	57.4	56.5	55.4	55.3	54.5	51.5
3/27/2025	52.1	50.5	50.8	49.7	50.4	51.4	54.3	63.1	59.3	61.0	56.8	57.1	61.5	62.0	60.9	58.1	59.4	57.7	58.2	56.2	54.8	55.6	55.5	52.1
3/28/2025	50.1	49.9	50.2	49.8	49.9	53.7	56.7	59.2	60.7	59.1	59.9	59.7	61.2	60.7	62.2	60.1	59.9	60.8	59.3	58.6	58.4	54.8	54.8	52.9
3/29/2025	54.0	51.2	51.0	50.6	50.6	52.5	56.2	57.1	54.9	57.5	56.0	57.9	59.1	57.9	54.7	59.4	56.8	59.4	57.9	55.6	55.0	54.9	52.0	52.1
3/30/2025	51.1	50.3	50.4	50.6	50.7	52.0	53.9	56.6	57.1	57.1	57.8	57.3	56.9	57.5	56.2	57.3	56.7	57.0	56.0	54.9	55.8	55.1	54.6	53.2
3/31/2025	51.7	50.1	50.1	50.0	50.9	52.5	62.1	64.6	62.6	57.0	59.7	59.6	60.5	60.6	61.8	60.3	62.2	60.4	59.2	58.2	59.2	57.2	53.7	53.5